

penda/bipenda





This single track (Penda) and twin track (Bipenda) hanging sliding system is suitable for glass thick-nesses up to 8 mm. The modular system comprises tracks, hanging profiles, cover profiles, lower guides and accessories. The high quality roller tobacleave with a concealed roller technology with a concealed roller system (max 50 kg with 4 rollers) and the assembly advantages are the same as those of the Supra range. Ideal for all uses which require a base without fittings or which cannot be machined (e.g. public counters, parquet flooring).

1 Penda fittings for single-sash sliding door.

2 **Bipenda-fittings** for double sash sliding doors.

3 Glass door lock with Secura cylinder technology and triple function: handle – security – lock in lower guide.

Completely concealed roller technology with proven Vitris characteristics.

5 Roller design Long-lasting easy and quiet running action using ball bearings with steel outer ring and plastic coating.

6 The Vitris mounting tool for roller assembly enables instant and clean assembly without the need for screws.









5 Roller design












Penda fittings

Bipenda fittings





WILLACH

Willach belongs to the leading producers of glass fittings in Europe. The manufacture of products to the highest quality and precision standards has been the supreme dictum of the company since its establishment in 1889. Numerous technical innovations and intelligent solutions with attention to detail meant that Willach was able to build up its pioneering reputation at an early stage. With the Vitris product line, Willach today offers a comprehensive system of high quality glass door fittings, sliding door locks and slot bar systems for discerning interior, shop and trade show furnishings. Vitris products are certified in accordance with ISO standards and are manufactured at Willach's Ruppichteroth (Germany) production site to meet stringent manufacturing standards. This forms the basis for the excellent quality and consistently high level of ability of the complete Vitris range. Gebr. Willach GmbH Stein 2 D-53809 Ruppichteroth Germany

Tel.: +49 (0)2295 92 08 0 Fax: +49 (0)2295 92 08 429 info@vitris.eu www.vitris.eu

Certified ISO 9001 by



The Vitris product range

Vitris Supra: Sliding system for glass thicknesses from 4 to 8 mm

Vitris Robustus: Sliding system for glass thicknesses from 8 to 12 mm

Vitris Secura: High security cylinder lock system for the complete range of Vitris sliding systems

Vitris shelving bracket and slot bar system for attractive shelving systems of glass and timber

Vitris Dura/Durus: Gliding system (without roller assembly) for glass sliding doors of 4 – 6 mm glass thickness

Mirror fixing profiles

Glazing profiles: U-profiles, corner profiles, end profiles and central profiles



